

LUX BITOLA® Conveyor Type Dishwasher (Drying Unit)



Rating: Not Rated Yet

Price:

Variant price modifier:

Base price with tax:

Price with discount:

Salesprice with discount:

Sales price:

Sales price without tax:

Discount:

Tax amount:

[Ask a question about this product](#)

Description

- Drying Tunnel:Standart.
- Two speed conveyor band.
- Two pieces of washing motors.
- Boiler power: 27 KW
- Tank Power: 9 KW
- Drying unit motor power: 9 KW
- Motor property for conveyor type diswasher without prewashing unit types 0.35 kw 2800 rpm x 2
- Motor property for pre-washing machines 0.35 kw 2800 rpm x 3
- Total power: 50 kw 380 V
- Full automatic washing operation at 55° C, rinsing operation with hot water at 80-85° C.
- 24 v controlling current provides security during the operation.
- Magnetic security switch.
- Stainless steel resistances.
- Stainless steel body.

CD	Dimensions	NC
oe	mm	ea
ds		tp
ec		a
ri		kci
pt		gty
ti		k

o a b c
n

g
/
h
o
u
r

EC 2040 3 3 2
o x830 0 . 0
n x185 3 2 0
v 0 10
e
y
o
r
T
y
p
e
D
is
h
w
a
s
h
e
r
w
it
h
D
r
yi
n
g
T
u
n
n
el

EC 2040 3 3 2
o x830 0 . 0
n x185 3 2 0
v 0 10
e
y
o
r
T
y
p
e
D
is
h
w
a
s
h
e
r
w
it
h
D
r
yi
n
g

T
u
n
n
el
EC2790342
ox8307.0
nx185860
v 0 0
e
y
o
r
T
y
p
e
D
is
h
w
a
s
h
e
r
w
it
h
D
r
yi
n
g
T
u
n
n
el
-
(

EC2790342
ox8307.0
nx185860
v 0 0
e
y
o
r
T
y
p
e
D
is
h
w
a
s
h
e
r
w
it
h

D
r
yi
n
g
T
u
n
n
el
-
(

Reviews

There are yet no reviews for this product.