

LUX BITOLA® Gas Combi Ovens



Rating: Not Rated Yet

**Price:**

Variant price modifier:

Base price with tax:

Price with discount:

Salesprice with discount:

Sales price:

Sales price without tax:

Discount:

Tax amount:

[Ask a question about this product](#)

- Description - 230 V. 50 Hz operation power.
- Lpg or Natural Gas.
  - ECO function for consumption reduction in cooking.
  - PLUS extra power function (gas).
  - SC2 semi automatic washing.
  - Cooking modes: manual or programmable selection, 99 programs with 4 phases of whom 7 are standard, 3 re-heating programs, 5 smoking, 4 Low Temperature and 1 Delta T.
  - Single-point temperature core probe.
  - UR2 automatic humidity control while cooking.
  - RDC steam generator with low management cost.
  - Automatic fan reverse AWC, 2 fan speeds.
  - Digital controls.
  - Manual steam injection.
  - Self-diagnosis with malfunction alarms.
  - IPX5 protection degree.
  - Door double tempered glazing.
  - AISI 304 stainless steel polished cooking chamber ,with AISI 316L (1,2 mm) top and bottom and rounded edges without joints.
  - Handle with double handgrip, easier opening also with hands full.
  - Automatic Cooling and Preheating.
  - Start-up time selection.
  - Display of set and current cooking values.
  - Low temperature steam and Superheated steam.

CD	Dimensions	NPL
oe	mm	ooo

d	s	a	b	c
e	c			
r	i			
p	t			
i				
o				
n				

t	w	a
e	d	i
k	r	n
g	k	g
	w	C
	a	
	p	
	a	
	c	i
	t	y
	p	
	o	
	r	t
	i	o
	n	

EG11782233  
a x1068 . 23  
s 4x1739 . 5  
C 22 5  
o

EB 121030  
o x860 2 .  
tt x600 6  
o

EG11904355  
a x1074 . 56  
s 4x1794 . 0  
C 95 5  
o

ET 716x 7 1 3  
r 927x 7 . 2  
a 1700 5 G  
y N  
C -  
a 1  
rr /  
yi 1  
n 1  
g 6  
T G  
r N  
ol -  
le 2  
y /  
a 1  
n  
d  
T  
r  
a  
y  
K  
it  
ET 716x 7 1 4  
r 927x 7 . 0  
a 1700 5 G  
y N

C	-
a	1
rr	/
yi	1
n	2
g	0
T	G
r	N
ol	-
le	2
y	/
a	1
n	
d	
T	
r	
a	
y	
K	
it	

**Reviews**

There are yet no reviews for this product.